

**TRE House - Live Resin Cartridge - Grape Ape - Indica - HHC - 1 Gram**

 Sample ID: SA-220805-11053  
 Batch: TCGA900  
 Type: Finished Products  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

 Received: 08/08/2022  
 Completed: 08/12/2022

**Client**  
 TRE House  
 19851 Nordhoff Pl, Ste 105  
 Chatsworth, CA 91311-6616  
 USA

**Summary**

<b>Test</b> Cannabinoids	<b>Date Tested</b> 08/12/2022	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>64.6 %</b> (6aR,9R,10aR)-HHC	<b>94.9 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	------------------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

**Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS**

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.147	1.47
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	64.6	646
(6aR,9S,10aR)-HHC	0.0067	0.02	30.1	301
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>94.9</b>	<b>949</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 Commercial Director  
 Date: 08/12/2022



 Tested By: Scott Caudill  
 Senior Scientist  
 Date: 08/12/2022

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651
