



Certificate of Analysis

Powered by Confident Cannabis
1 of 2

LVPCA

11525 Nu-Way Kalb Blvd
Las Vegas, NV 89124
ethan@nuuwu.vegas
(702) 844-2707
Lic. #35786145068445853965

Sample: 2302TSF0338.3177

Strain: Afternoon Delight
Production Run #: ADCBD022723;
Sample Received: 02/28/2023; Report Generated: 03/03/2023

Airo CBD - Afternoon Delight

Concentrates & Extracts, Distillate, Alcohol
Harvest Process Lot: METRC Batch: METRC Sample



This photo on this report is of a sample collected by the lab and may vary from the final packaging

Cannabinoids

Analyte	<LOQ		40.93%		NR %	
	LOQ	Result	LOQ	Result	LOQ	Result
Total Potential THC						
THCa	0.05	<LOQ	0.05	<LOQ		
Δ8-THC	0.05	<LOQ	0.05	<LOQ		
Δ9-THC	0.05	<LOQ	0.05	<LOQ		
CBD	0.05	40.93	0.05	409.3		
CBDa	0.05	<LOQ	0.05	<LOQ		
CBC	0.05	3.43	0.05	34.3		
CBG	0.05	1.88	0.05	18.8		
CBN	0.05	4.71	0.05	47.1		
THCV	0.05	<LOQ	0.05	<LOQ		
CBGa	0.05	<LOQ	0.05	<LOQ		
Total		50.95		509.5		

Safety

Pass	Pass	Pass
Pesticides	Microbials	Mycotoxins
Pass	Pass	Pass
Solvents	Heavy Metals	Foreign Matter

Terpenes

Analyte	LOQ	Result	Result
	%	%	mg/g
Chamomile			
Turpentine			
Lemon			
α-Bisabolol	0.05	1.66	16.6
Terpinolene	0.05	0.98	9.8
β-Limonene	0.05	0.56	5.6
β-Caryophyllene	0.05	0.39	3.9
β-Myrcene	0.05	0.17	1.7
β-Pinene	0.05	0.14	1.4
Caryophyllene Oxide	0.05	0.14	1.4
α-Pinene	0.05	0.07	0.7
Ocimene	0.05	0.06	0.6
trans-Nerolidol	0.05	0.06	0.6
α-Humulene	0.05	<LOQ	<LOQ
Total		4.39	43.9

10 Greg St
Sparks, NV
(844) 374-5227
www.374labs.com



Dr. Jeff Angermann
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (NMEP 02754239027944347) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photos of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.



Certificate of Analysis

Powered by Confident Cannabis
2 of 2

LVPCA

11525 Nu-Way Kalb Blvd
Las Vegas, NV 89124
ethan@nuuwu.vegas
(702) 844-2707
Lic. #35786145068445853965

Sample: 2302TSF0338.3177

Strain: Afternoon Delight
Production Run #: ADCBD022723;
Sample Received: 02/28/2023; Report Generated: 03/03/2023

Airo CBD - Afternoon Delight

Concentrates & Extracts, Distillate, Alcohol
Harvest Process Lot: METRC Batch: METRC Sample



Analyte	Result	LOQ	Limit	Status
Abamectin	<LOQ	0.150	0.150	Pass
Azinphosmethyl	<LOQ	0.310	4.000	Pass
Beta-Cyfluthrin	<LOQ	0.600	2.000	Pass
Bifenthrin	<LOQ	0.080	0.400	Pass
Bifenthrin	<LOQ	0.080	0.080	Pass
Cyfluthrin	<LOQ	0.600	2.000	Pass
Cypermethrin	<LOQ	0.310	0.310	Pass
Daminozide	<LOQ	0.150	0.080	Pass
Dimethomorph	<LOQ	0.080	2.000	Pass
Etoxaquinone	<LOQ	0.080	0.400	Pass
Fenhexamid	<LOQ	0.080	1.000	Pass
Flonicamid	<LOQ	0.080	1.000	Pass
Fludioxonil	<LOQ	0.080	0.500	Pass
Imidacloprid	<LOQ	0.080	0.500	Pass
Methidathion	<LOQ	0.080	0.400	Pass
Permethrin	<LOQ	0.080	0.080	Pass
Piperonyl Butoxide	<LOQ	0.080	3.000	Pass
Plant Growth Regulators	<LOQ			Tested
Pyrethrins	<LOQ	0.310	2.000	Pass
Quintozene	<LOQ	0.200	0.800	Pass
Spinetoram	<LOQ	0.080	1.000	Pass
Spinosad	<LOQ	0.080	1.000	Pass
Spirotetramat	<LOQ	0.080	1.000	Pass
Thiamethoxam	<LOQ	0.080	0.400	Pass
Trifloxystrobin	<LOQ	0.080	1.000	Pass

Pass

Microbials

Analyte	Limit	LOQ	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Aerobic	10000	40	<LOQ	Pass
Total Enterobacteriaceae	100	40	<LOQ	Pass
Total Coliforms	100	40	<LOQ	Pass
Pathogenic E. Coli	1		<LOQ	Pass
Salmonella	1		<LOQ	Pass
Total Yeast & Mold	1000	40	<LOQ	Pass

Pass

Heavy Metals

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Arsenic	<LOQ	0.260	2.000	Pass
Cadmium	<LOQ	0.260	0.820	Pass
Lead	<LOQ	0.260	1.200	Pass
Mercury	<LOQ	0.120	0.400	Pass

Pass

Residual Solvents

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Butanes	<LOQ	50	500	Pass
Ethanol	<LOQ	50		Tested
Heptanes	<LOQ	50	500	Pass
Hexanes	NR	50		NT
Isobutane	<LOQ	50	500	Pass
Methanol	NR	50		NT
Pentane	<LOQ	50		Tested
Propane	<LOQ	50	500	Pass

Pass

Mycotoxins

Analyte	Result	LOQ	Limit	Status
	PPM	PPM	PPM	
Aflatoxins	<LOQ	0.035	0.020	Pass
B1	<LOQ	0.005		Tested
B2	<LOQ	0.005		Tested
G1	<LOQ	0.005		Tested
G2	<LOQ	0.005		Tested
Ochratoxin A	<LOQ	0.015	0.020	Pass
Total Mycotoxins	<LOQ		0.020	Pass

Pass

10 Greg St
Sparks, NV
(844) 374-5227
www.374labs.com



Dr. Jeff Angermann
Scientific Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by 374 Labs, LLC (NMEP 02754239027944347) using valid testing methodologies and a quality system as required by State of Nevada. Pass/Fail results are based on criteria established by the State of Nevada under Title 56 NRS 678, NCCR 11. Values reported relate only to the product tested. 374 Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 374 Labs. Uncertainty information is available upon request. 374 Labs complies with ISO/IEC 17025 standards. Photos of sample collected by the lab and may vary from final packaging. LOQ has been set to the Limit of Detection (LOD) / Method Detection Limit (MDL) for all endpoints.